



National Microfinance Foundation

Identity Guideline

Content

1.0	The Logo
2.0	The Logo Layouts
3.0	Logo Colours
4.0	Colour Palette
5.0	Clear Space & Minimum Size
6.0	Placing The Logo
7.0	Corporate Typefaces
8.0	Stationary
9.0	Signage

The Logo

The logo – the symbol and our name and that goes with it - is the most valuable element of National Microfinance Foundation's visual communications.

Whenever the logo appears, people will immediately make a link between the accompanying message or activity and NMF. Ensuring our logo is used correctly also enables us to protect it legally and stop it being used without our permission. That is why it's so important to get it right.



The Logo Layouts

The default logo




The default logo with the Arabic name in a horizontal format.



The logo with the Arabic name in a vertical format.




Logo Colours




Pantone P 20-8 C

Orange
0C 50M 100Y 0K
247R 148G 29B
#F7941D



Pantone P 179-12 C

Gray
0C 0M 0Y 80K
88R 89G 91B
#58595B



White
0C 0M 0Y 0K
255R 255G 255B
#FFFFFF

Use the logo in full colour whenever possible

We also have an all-white version, for use when necessary, and an all-black version, for when it's impossible to use colour.

Logo in full colour



Logo in full colour on orange background



Single colour logo



Logo reversed out of Orange/Gray



Logo in single colour black

Colour Palette

Colours

Our primary colours are orange, gray and white.

We also have a secondary colour palette which we suggest you use throughout your communications to give them a consistent look. You can also use tints of these colours.


However, to increase the coherence of your communications, you may wish to limit how many of the secondary colours you use.

Using the colour palette

The primary and the secondary colour palette can be used for:


1. Background floods of colour
2. Illustrations
3. Information graphics
4. Typography
5. Navigation

Primary colour palette




Pantone P 20-8 C

Orange
0C 50M 100Y 0K
247R 148G 29B
#F7941D




Pantone P 179-12 C

Gray
0C 0M 0Y 80K
88R 89G 91B
#58595B




White
0C 0M 0Y 0K
255R 255G 255B
#FFFFFF

Secondary colour palette




Pantone P 168-3 C

6C 0M 53Y 27K
186R 185G 116B
#BAB974



Pantone P 166-12 C

6C 0M 57Y 9K
223R 220G 120B
#DFDC81




Pantone P 122-13 C

61C 0M 18Y 22K
65R 162G 174B
41#A2AE

Clear Space & Minimum Size

Clear Space

Give the logo enough space so that the design doesn't appear cluttered. Make sure there's at least the space equal to the 50% height of the logo symbol. The space around the logo can be %25 of the the logo symbol height when the logo is used in a big size. (e.g. Billboard).



Minimum size

The default version of the logo should not be smaller than 15mm (Width) for print.

On web sites and in digital formats the logo should not be smaller than 40 pixels. The minimum size is based on the width of the logotype



15mm



40px

Please Note

Where possible, carry out production tests on the chosen materials to ensure legibility.

Placing The Logo

The logo should be placed in the upper or lower left (or right for Arabic version) corner of a surface. The logo should never be centred. The example shows the logo placement on poster or a brochure cover.



Corporate Typefaces

We have corporate typefaces, Acumin and Adobe Arabic.

Acumin is the typeface used in our designs including the slogan.
Adobe Arabic is the typeface we used for Arabic text when needed.

Acumin

Light

Light Italic

Regular

Italic

Bold

Bold Italic

Black

Adobe Arabic

عادي

مائل

ثخين


ثخين مائل

Stationary

Business Card

The printed name is Acumin Regular 8pt, all other information is Acumin Default 7pt.

Business card paper – Royal Kent ivory board (or similar), weight 300gsm minimum up to 400gsm.



Stationary

Letterhead

- The logo must be full colour at 12mm in height
- The logo must always be placed as shown
- The address, telephone number and electronic information are placed as shown



Signage



Thank You